SILTEC™

CABLE SANITATION
CABLE ROUTING SYSTEMS

WIRE CABLE TRAYS
- for ONE cable



PRODUCT INFORMATION

Gross Automation 3680 N. 126th St., Brookfield, WI 53005 Toll-Free: 877-268-3700 sales@grossautomation.com



Table of Contents

Cable trays S320 - S337 . . . . . Pgs 4 - 5

Dimensions and Assembly guidelines . . . . . Pgs 4 - 5

Product Overview . . . . . Pgs 6 - 7

SILTEC CABLE ROUTING SYSTEM

SILTEC cable routing system has been developed with optimal function in mind and with emphasis on simplicity and accessibility for the purposes of thorough cleaning and heat dissipation.

SILTEC cable routing system is made up of durable components of steel of highest quality, resistive to corrosion and with excellent chemical resistance.

SILTEC cable routing system is suitable for:
- The Food industry
- The Chemical industry
- Machine builders
- Office and computer environments
- Electrical installations in general

Cable trays are delivered in lengths of 118 inc. / 3000 mm. Width varies from **1 inc. to 24 inc. / 25 mm to 600 mm, and height from 1 inc. to 5 inc. / 25 mm to 125 mm.**

Cable trays with custom measurements are made upon request.

All cable trays are made of round material which is gentle on cables, tubing, installers and maintenance personnel.
SILTEC cable trays are produced in Stainless steel

SILTEC cable routing system solves issues with the transport of energy in cables – simple, effective and environmentally correct.

SILTEC CABLE ROUTING SYSTEM
- Comes with the following wire cable tray types


Open standard cable trays


Locking cable trays


Open compact trays


Heavy duty cable trays


Cable trays for one cable

In addition, we offer a large number of specialty trays and a comprehensive program of assembly parts, mounts and accessories.

Siltec Cable trays - for ONE cable

S320		**0.2" x 0.2" x 118"** *5 x 5 x 3000 mm* 316 St. Steel	570598 699320 3
S321		**0.2" x 0.2" x 118"** *5 x 5 x 3000 mm* 316 St. Steel	570598 699321 0
S322		**0.3" x 0.3" x 118"** *8 x 8 x 3000 mm* 316 St. Steel	570598 699322 7
S323		**0.4" x 0.4" x 118"** *10 x 10 x 3000 mm* 316 St. Steel	570598 699323 4
S324		**0.5" x 0.5" x 118"** *12 x 12 x 3000 mm* 316 St. Steel	570598 699324 1
S325		**0.6" x 0.6" x 118"** *16 x 16 x 3000 mm* 316 St. Steel	570598 699325 8
S327		**1.1" x 1.1" x 118"** *27 x 27 x 3000 mm* 316 St. Steel	570598 699327 2

Fittings for installation with screws

S330
570598 699330 2
Polypropylene



S334



S331
570598 699331 9
Polypropylene



S90



S91



S 332
570598 699332 6



S334



S333

Dimensions and Mounts



All dimensions in inches

Dim. in inc.	S320	S321	S322	S323	S324	S325	S327
Cable dim.:	ø0.12 - 0.20"	ø0.12 - 0.20"	ø0.16 - 0.28"	ø0.28 - 0.39"	ø0.35- 0.47"	ø0.43- 0.63"	ø0.43- 1.02"
A:	0.20	0.20	0.31	0.39	0.47	0.63	1.06
B:	0.20	0.20	0.31	0.39	0.47	0.63	1.06
C:	118	118	118	118	118	118	118
D:	1.97	3.94	3.94	3.94	3.94	7.87	7.87

S331

Variable



S324, S325 & S327
Max 1 cable tray

S330



0.20"

S331



Using 3 or 4 S331, S91
must be used

S332



0.20"

Fittings for installation with Screw-Mount

S333
570598 699333 3



S334
570598 699334 0

S336
570598 699336 4



S337
570598 699337 1



S338
570598 699338 8



S339
570598 699339 5



S340
570598 699340 1



Cable / tube can be locked at will



S336



S337



S338-39-40



S331



S324, S325 & S327
Max 1 cable tray

S331



S324, S325 & S327
Max 1 cable tray

SILTEC has a Cable Tray for Every Need

Standard - open trays

S25		**1.0" x 1.0" x 118" - ø0.15"** *25 x 25 x 3000 mm - ø4 mm* 316 St. Steel 570598 620105 6 304 St. Steel 570598 720105 5
S26		**2.0" x 2.0" x 118" - ø0.15"** *50 x 50 x 3000 mm - ø4 mm* 316 St. Steel 570598 620106 3 304 St. Steel 570598 720106 2
S27		**3.0" x 3.0" x 118" - ø0.15"** *75 x 75 x 3000 mm - ø4 mm* 316 St. Steel 570598 620107 0
S28		**4.0" x 4.0" x 118" - ø0.24"** *100 x 100 x 3000 mm - ø6 mm* 316 St. Steel 570598 620108 7
S30M		**1.4" x 1.6" x 118" - ø0.15"** *35 x 40 x 3000 mm - ø4 mm* 304 St. Steel 570598 720117 8
S30		**1.8" x 2.4" x 118" - ø0.15"** *45 x 60 x 3000 mm - ø4 mm* 316 St. Steel 570598 620118 6 304 St. Steel 570598 720118 5
S30*		**1.8" x 2.4" x 118" - *ø0.20"** *45 x 60 x 3000 mm - *ø5 mm* 316 St. Steel 570598 620119 3 304 St. Steel 570598 720119 2
S35		**2.2" x 4.0" x 118" - ø0.15"** *55 x 100 x 3000 mm - ø4 mm* 304 St. Steel 570598 720120 8
S35*		**2.2" x 4.0" x 118" - *ø0.20"** *55 x 100 x 3000 mm - *ø5 mm* 316 St. Steel 570598 640120 3 304 St. Steel 570598 740120 2
S35W		**2.2" x 6.0" x 118" - ø0.20"** *55 x 150 x 3000 mm - ø5 mm* 316 St. Steel 570598 620120 9 304 St. Steel 570598 720121 5
S36		**2.2" x 8.0" x 118" - ø0.20"** *55 x 200 x 3000 mm - ø5 mm* 316 St. Steel 570598 640121 0 304 St. Steel 570598 740121 9
S37		**2.2" x 12.0" x 118" - ø0.20"** *55 x 300 x 3000 mm - ø5 mm* 316 St. Steel 570598 640122 7 304 St. Steel 570598 740122 6
S38		**2.2" x 16.0" x 118" - ø0.20"** *55 x 400 x 3000 mm - ø5 mm* 316 St. Steel 570598 640122 7 304 St. Steel 570598 740122 6
S39		**2.2" x 20.0" x 118" - ø0.20"** *55 x 500 x 3000 mm - ø5 mm* 304 St. Steel 570598 740124 0
S39W		**2.2" x 24.0" x 118" - ø0.20"** *55 x 600 x 3000 mm - ø5 mm* 304 St. Steel 570598 740126 4

Standard - open trays

S30M-X		**2.0" x 2.2" x 118" - ø0.15"** *50 x 57 x 3000 mm - ø4 mm* 304 St. Steel 570598 786175 4
S30-X		**2.6" x 2.6" x 118" - ø0.15"** *67 x 67 x 3000 mm - ø4 mm* 304 St. Steel 570598 786180 8
S35-X		**2.6" x 4.0" x 118" - ø0.15"** *67 x 100 x 3000 mm - ø4 mm* 304 St. Steel 570598 786181 5
S36-X		**2.6" x 8.0" x 118" - ø0.20"** *67 x 200 x 3000 mm - ø5 mm* 304 St. Steel 570598 786185 3

COMPACT Trays

S115		**0.4" x 0.9" x 118" - ø0.12"** *9 x 23 x 3000 mm - ø3 mm* 304 St. Steel 570598 720115 4
S116		**0.5" x 1.2" x 118" - ø0.12"** *13 x 30 x 3000 mm - ø3 mm* 304 St. Steel 570598 720116 1
S125		**0.6" x 1.2" x 110.25" - ø0.12"** *15 x 30 x 2800 mm - ø3 mm* 316 St. Steel 570598 610105 9
S126		**1.2" x 2.0" x 118" - ø0.15"** *30 x 50 x 3000 mm - ø4 mm* 304 St. Steel 570598 790126 9
S127		**1.2" x 3.0" x 118" - ø0.15"** *30 x 75 x 2800 mm - ø4 mm* 304 St. Steel 570598 790127 6
S128		**1.2" x 4.0" x 118" - ø0.15"** *30 x 100 x 3000 mm - ø4 mm* 304 St. Steel 570598 790128 3
S129		**1.2" x 5.0" x 118" - ø0.20"** *30 x 125 x 3000 mm - ø5 mm* 304 St. Steel 570598 790129 0
S130		**1.2" x 6.0" x 118" - ø0.20"** *30 x 150 x 3000 mm - ø5 mm* 304 St. Steel 570598 790130 6
S131		**1.2" x 10" x 118" - ø0.20"** *30 x 250 x 3000 mm - ø5 mm* 304 St. Steel 570598 790131 3
S132		**1.2" x 14" x 118" - ø0.20"** *30 x 350 x 3000 mm - ø5 mm* 304 St. Steel 570598 790132 0
S133		**1.2" x 18" x 118" - ø0.20"** *30 x 450 x 3000 mm - ø5 mm* 304 St. Steel 570598 790133 7

Tray with lock

S20		**1.0" x 1.0" x 118" - ø0.15"** *25 x 25 x 3000 mm - ø4 mm* 316 St. Steel 570598 610100 4
S20N		**1.0" x 1.0" x 118" - ø0.15"** *25 x 25 x 3000 mm - ø4 mm* 304 St. Steel 570598 710100 3
S21		**2.0" x 2.0" x 118" - ø0.15"** *50 x 50 x 3000 mm - ø4 mm* 316 St. Steel 570598 610101 1
S21N		**2.0" x 2.0" x 118" - ø0.15"** *50 x 50 x 3000 mm - ø4 mm* 304 St. Steel 570598 710101 0
S22		**3.0" x 3.0" x 118" - ø0.15"** *75 x 75 x 3000 mm - ø4 mm* 316 St. Steel 570598 610102 8
S22N		**3.0" x 3.0" x 118" - ø0.15"** *75 x 75 x 3000 mm - ø4 mm* 304 St. Steel 570598 710102 7
S121		**1.0" x 2.0" x 118" - ø0.15"** *25 x 50 x 3000 mm - ø4 mm* 304 St. Steel 570598 710121 8
S123		**1.0" x 4.0" x 118" - ø0.15"** *25 x 100 x 3000 mm - ø4 mm* 304 St. Steel 570598 710123 2
K25		**1.0" x 1.0" x 118" - ø0.15"** *25 x 25 x 3000 mm - ø4 mm* 304 St. Steel 570598 789104 1
K40		**1.6" x 1.6" x 118" - ø0.15"** *40 x 40 x 3000 mm - ø4 mm* 304 St. Steel 570598 789102 7
K90		**1.6" x 3.5" x 118" - ø0.15"** *40 x 90 x 3000 mm - ø4 mm* 304 St. Steel 570598 789106 5
K26		**1.0" x 1.0" x 118" - ø0.15"** *25 x 25 x 3000 mm - ø4 mm* 304 St. Steel 570598 789105 8 With Welded-On Cover
K41		**1.6" x 1.6" x 118" - ø0.15"** *40 x 40 x 3000 mm - ø4 mm* 304 St. Steel 570598 789103 4 With Welded-On Cover
K91		**1.6" x 3.5" x 118" - ø0.15"** *40 x 90 x 3000 mm - ø4 mm* 304 St. Steel 570598 789107 2 With Welded-On Cover



Heavy Duty Cable Trays

S235		**4.0" x 4.0" x 118" - ø0.20"** *100 x 100 x 3000 mm - ø5 mm* 316 St. Steel 570598 688235 4
S236		**4.0" x 8.0" x 118" - ø0.20"** *100 x 200 x 3000 mm - ø5 mm* 316 St. Steel 570598 688236 1
S237		**4.0" x 12.0" x 118" - ø0.20"** *100 x 300 x 3000 mm - ø5 mm* 316 St. Steel 570598 688237 8
S238		**4.0" x 16.0" x 118" - ø0.20"** *100 x 400 x 3000 mm - ø5 mm* 316 St. Steel 570598 688238 5
S239		**4.0" x 20.0" x 118" - ø0.20"** *100 x 500 x 3000 mm - ø5 mm* 316 St. Steel 570598 688239 2
S240		**4.0" x 24.0" x 118" - ø0.20"** *100 x 600 x 3000 mm - ø5 mm* 316 St. Steel 570598 688240 8
S428		**4.0" x 4.0" x 118" - ø0.20"** *100 x 100 x 3000 mm - ø5 mm* 304 St. Steel 570598 799428 5
S436		**4.0" x 8.0" x 118" - ø0.20"** *100 x 200 x 3000 mm - ø5 mm* 304 St. Steel 570598 799436 0
S437		**4.0" x 12.0" x 118" - ø0.20"** *100 x 300 x 3000 mm - ø5 mm* 304 St. Steel 570598 799437 7
S438		**4.0" x 16.0" x 118" - ø0.20"** *100 x 400 x 3000 mm - ø5 mm* 304 St. Steel 570598 799438 4



DEALER:

gross automation

Gross Automation

3680 N. 126th St., Brookfield, WI 53005
Toll-Free: 877-268-3700
sales@grossautomation.com
Fax: 262-252-1616

SILTEC™

www.lundtofte.dk - 09/2015 - US